Force Protection – Basing TeCD 1a

17 October 2012

maintaining the data needed, and c including suggestions for reducing	lection of information is estimated to completing and reviewing the collect this burden, to Washington Headqu uld be aware that notwithstanding ar DMB control number.	ion of information. Send comments arters Services, Directorate for Infor	regarding this burden estimate of mation Operations and Reports	or any other aspect of the 1215 Jefferson Davis	is collection of information, Highway, Suite 1204, Arlington	
1. REPORT DATE 17 OCT 2012		2. REPORT TYPE		3. DATES COVE 00-00-2012	red 2 to 00-00-2012	
4. TITLE AND SUBTITLE				5a. CONTRACT	NUMBER	
Force Protection - Basing TeCD 1a			5b. GRANT NUMBER			
				5c. PROGRAM E	LEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NU	JMBER	
				5e. TASK NUMBER		
				5f. WORK UNIT NUMBER		
U.S. Army Corps of	ZATION NAME(S) AND AD of Engineers,Enginee Ferry Road,Vicksbu	er Research and Dev	velopment	8. PERFORMING REPORT NUMB	G ORGANIZATION ER	
9. SPONSORING/MONITO	SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) 10. SPONSOR/M			ONITOR'S ACRONYM(S)		
				11. SPONSOR/M NUMBER(S)	ONITOR'S REPORT	
12. DISTRIBUTION/AVAIL Approved for publ	LABILITY STATEMENT ic release; distributi	on unlimited				
13. SUPPLEMENTARY NO Presented at the 20 Wood, MO.	otes 112 Science, Technol	logy & Requirement	s Forum held 17	-18 October i	n Fort Leonard	
14. ABSTRACT						
15. SUBJECT TERMS						
16. SECURITY CLASSIFIC			19a. NAME OF			
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified	Same as Report (SAR)	8	RESPONSIBLE PERSON	

Report Documentation Page

Form Approved OMB No. 0704-0188

Revised Challenge Statement Force Protection – Basing 1a

<u>Problem Statement</u>: It takes too long and too much manpower to deploy, set up, protect, sustain and relocate Combat Outposts (COPs) and Patrol Bases (PBs).

Challenge: Formulate a S&T program to reduce the percentage of Soldiers needed to set-up a COP/PB and protect against threats (including small arms, indirect fires, air delivered weapons, and CBE) in austere, restricted terrains.

Challenge Boundary Conditions:

Who: Focus on Combat Outposts and Patrol Bases in a variety of complex and urban terrains

What: Representative 2011 COP/PBs baseline indicates that it takes 60-90 days using 70% of the manpower assets (i.e., 70% not available for mission tasks)


How: Measure impact on Soldier availability and set-up time



Objectives:

Near term (FY17): Increase Soldier availability for mission tasks vs. set-up and security tasks to 50% in 30 days with increased force protection; decrease teardown time to no more than 4 days and increase the percentage of material reusable at next COP/PB within 100 miles. 2

Future - Force Protection - Basing 1a



Lifecycle of a Small COP

Force Protection – Basing 1a

	Force Protection - Basing Ta						
Pre-Deployment Planning	COP Construction	Operation	Relocation				
Futitial Integration D							
Planning Tools • Site selection and layout • Threat assessment • Geo-environmental impact on mission • Risk and vulnerability assessment	 Troop to task allocation Construction Security Missions outside the wire COP construction complete in 30 days 	Troop to Task allocation Increase percentage of Soldiers available for outside the wire missions Organic force protection capability like that of	 Troop to Task allocation COP teardown Security Missions outside the wire Repackage and reuse of materials				
 Construction planning Equipment and material requirement lists 	Increased situational awareness from enhanced sensors during COP construction Security is increased with remote weapons systems and precision munitions	large FOB	More reliance on sensing and active defense as protective structures and barriers are removed				

Technology Thrust Areas

Force Protection - Basing 1a




Fewer Soldiers needed for security with active defense






Rapidly emplaced protection material decreases construction time for barriers, TOC, sleep areas, mortar pits



Man portable protection materialsNo equipment required



Increased awareness through sensing and detecting technologies, fewer Soldiers required to secure perimeter



Planning tools allow leaders to construct COP/PBs efficiently and effectively providing quicker construction time and improved troop-to-task

Planning Tools	Active Defense	Protected Structures and Barriers	Enhanced Sensors
Planning and construction handbook	Remote weapons systems	Perimeter protection	Detection of incoming RAM attack
Troop to task guidelines during construction	Precision munitions	Protection of critical assets (fuel, water, ammo, sleep areas)	Increased situational awareness of enemy movement
Integration techniques on COP/PB	Non-lethal deterrence	Protection of TOC (sidewall and overhead cover)	Integrated sensor architecture (DFP)
Geospatial analysis planning tool		Protected guard towers	
		Protection of ECP	

Force Protection – Basing 1a



Purpose:

Demonstrate ability to plan and construct a protected COP/PB in 30 days with integrated protective construction, sensing and active defense capabilities

Results/Products:


- Baseline COP construction handbook and decision support tools for planning of overall basing architecture for integration of force protection and basing functions
- Planning tools for the complete lifecycle of the COP with integrated force protection and basing (predeployment, construction, operation, relocation)
- Protective structures with overhead cover, perimeter barriers, and guard towers rapidly constructed with few soldiers and no additional equipment
- Lethal and non-lethal munitions to engage threats with reduced collateral damage to achieve protection levels like large FOBs
- Sensor systems providing increased situational awareness of area around COP and ability to locate and identify threat

Payoff:

- Increased Soldier availability for mission tasks vs. set-up and security tasks to 50% in 30 days
- Force protection levels like larger FOB
- Decreased COP tear-down time to ≤ 4 days
- Increased percentage of reusable material to 50%

Overall Milestone Chart

Force Protection - Basing 1a



Points of Contact

Force Protection - Basing 1a

Project Lead

Ms. Pamela Kinnebrew
Engineer Research and Development Center
(601) 634-3366

DSN: 318-464-8726

pamela.g.kinnebrew@usace.army.mil

Project Co-lead

Joseph A Brooks, Jr.
Night Vision Electronics and Sensors Directorate
(703) 704-1251
DSN 654-1251
joseph.a.brooks42.civ@mail.mil